

Package: AgriDiversiX (via r-universe)

June 1, 2026

Type Package

Title Agricultural Crop Diversification Indices Analysis

Version 0.1.0

Depends R (>= 3.5.0)

Imports dplyr,DT,MCMCpack,ggplot2,tidyr,viridis

Description Provides functions to compute agricultural crop diversification indices for crop data across zones and years. The package implements widely used diversification and concentration measures including Herfindahl Index, Simpson Index, Entropy Index, Ogive Index, and Maximum Proportion Index.

Encoding UTF-8

License GPL-3

NeedsCompilation no

Maintainer Santosha Rathod <santoshagriculture@gmail.com>

RoxygenNote 7.3.3

Author Santosha Rathod [aut, cre], Mrinmoy Ray [aut, ctb], Prabhat Kumar [aut, ctb], Rahul Patil Kumar [aut, ctb], Anil Kumar [aut, ctb]

Config/pak/sysreqs cmake make libicu-dev libuv1-dev

Repository <https://santosharathod.r-universe.dev>

Date/Publication 2026-04-01 11:17:22 UTC

RemoteUrl <https://github.com/cran/AgriDiversiX>

RemoteRef HEAD

RemoteSha 963c2083b018a699b0c1c62dfd4dfe74fb26e707

Contents

agri_div	2
Index	4

agri_div

*Agricultural Diversification Indices***Description**

The `agri_div` function computes major agricultural crop diversification indices from crop area or production data across years and zones.

Usage

```
agri_div(data, summary = c("none", "year", "zone", "overall"))
```

Arguments

<code>data</code>	Input data frame containing Year, Zone, and crop variables (C1, C2, ...). Each row represents crop area or production for a particular year and zone.
<code>summary</code>	Option to summarise diversification indices. The options include: "none" (default) – returns row-wise indices, "year" – returns year-wise mean indices, "zone" – returns zone-wise mean indices, "overall" – returns overall mean indices.

Details

This function calculates commonly used crop diversification indices based on crop share proportions. The indices computed include:

Herfindahl Index (HI), Simpson Index (SI), Entropy Index (EN), Ogive Index (OI), and Maximum Proportion Index (IMP).

These indices help measure the degree of crop diversification or concentration in agricultural systems.

Value

HI	Herfindahl Index indicating crop concentration.
SI	Simpson Index indicating crop diversification.
EN	Normalized Entropy Index measuring diversification.
OI	Ogive Index measuring deviation from equal crop distribution.
IMP	Maximum Proportion Index representing dominance of a single crop.
Diversification	Interpretation of diversification level (Low, Moderate, High).

Author(s)

Santosha Rathod, Mrinmoy Ray, Prabhat Kumar, Rahul Patil, Anil Kumar

References

Joshi, P. K., Gulati, A., BIRTHAL, P. S., & Tewari, L. (2004). Agriculture diversification in South Asia: patterns, determinants, and policy implications. *Economic and Political Weekly*.

Rathod, S., Surendra, H. S., Munirajappa, R., & Gowda, D. M. (2011). Statistical appraisal on the extent of agriculture diversification in different district of Karnataka. *Mysore Journal of Agricultural Sciences*, 45(4), 788–794.

Simpson, E. H. (1949). Measurement of diversity. *Nature*, 163, 688.

See Also

herfindahl_index, simpson_index, entropy_index

Examples

```
data <- data.frame(  
  Year = c(2020,2020,2021,2021),  
  Zone = c("North", "South", "North", "South"),  
  Rice = c(100,80,90,70),  
  Wheat = c(80,60,70,50),  
  Maize = c(40,30,35,20),  
  Pulses = c(20,10,25,15)  
)
```

```
agri_div(data)
```

```
agri_div(data, summary = "year")
```

```
agri_div(data, summary = "zone")
```

Index

- * **agriculture**
agri_div, 2
 - * **diversification**
agri_div, 2
 - * **indices**
agri_div, 2
- agri_div, 2